FREO STONE PAVING

like concrete, but classy...

Your outdoor space deserves to be different...

W.A. Made... coastal comfort

Ice

Sandstone

Greystone

Abrolhos

Charcoal



Metro

Available in

SQUARE PAVER
SIZE 400 x 400mm
THICKNESS
30mm & 60mm

LUXE PAVER
SIZE 600 x 400mm
THICKNESS
40mm
(Abrolhos & Metro
30mm & 60mm)

RECTANGLE PAVER
SIZE 400 x 200mm
THICKNESS
60mm (Abrolhos & Metro only)

NEW

MULTI SPEC TACTILE PAVER
SIZE 600 x 400mm
THICKNESS
30, 40, 50 & 60mm

HAZARD TACTILE PAVER
SIZE 400 x 400mm
THICKNESS
30, 40, 50 & 60mm



DIRECTIONAL TACTILE PAVER
SIZE 400 x 400mm
THICKNESS
30, 40, 50 & 60mm

Pave Set - Sweep in and "wet to set" join powder.

Ensuring low maintenance whilst maintaining a classy finish with genuine pavers, not site poured imitations.

Allowing easy paver removal for:

- **access to water pipes & wires**
- **fence / patio post installations**
- **garden design changes**
- **extreme stain paver swaps**
- **colour matching old selections**

CIRCLE STEPPERS
SIZE
600, 400 & 250mm
THICKNESS 40mm

The lighter the colour, the cooler under your feet...



270
SEAMLESS CAPPING
SIZE 400 x 270mm
THICKNESS 30mm

Use also for

Internal Corner



270 4 SIDED
SEAMLESS CAPPING
SIZE 400 x 270mm
THICKNESS 30mm

Use also for



External Corner



2 Sided,
End Piece or
Stepping Stone



400
SEAMLESS CAPPING
SIZE 400 x 400mm
THICKNESS 30mm

Use also for



Internal Corner



400 4 SIDED
SEAMLESS CAPPING
SIZE 400 x 400mm
THICKNESS 30mm

Use also for



External Corner



2 Sided,
End Piece or
Stepping Stone



RETRO BULLNOSE CAPPING
SIZE 400 x 270mm
THICKNESS 40mm

Freo Skimmer Lid Kits... a superior finish

- More attractive, central keyhole to avoid edge chipping.
- Marine grade stainless steel, to suit most Freo Stone Pavers.
- Compliant with Australian Pool Safety Standard 1926.3 2010.
- Order to be delivered with your Pool Capping Kits.





Travertine & Marble... a genuine slice of Europe

RECTANGLE PAVER
SURFACE Honed then tumbled
SIZE 610 x 305mm
THICKNESS 30mm

FRENCH PATTERN PAVERS
SURFACE Honed then tumbled
SIZE Consisting of 203 x 203, 406 x 406, 406 x 203, 610 x 406mm
THICKNESS 30mm
(not available in Arctic)

CAPPING
SURFACE Honed then tumbled
SIZE 610 x 305mm
THICKNESS 30mm

ROMA OVERHANGING LIP CAPPING
SURFACE Honed then tumbled
(Tumbled natural cored edges.)
SIZE 610 x 305 x 80mm
THICKNESS 30mm

Roma

- ✔ Quality stone cut from Europe's best quarries.
- ✔ Lightly textured surfaces providing grip and comfort.
- ✔ Can be easily installed onto a sand base.
- ✔ Stunning variations of colour throughout each project.

ROMA

PRIMO

ARCTIC MARBLE

ATLANTIS

Your outdoor space deserves to be different...

Primo

Arctic Marble

Atlantis

more ideas and pricing @ freostone.com.au

DesignoPave... non-slip porcelain pavers

- Non-slip surface and no sealing required.
- Lay straight onto sand, cracker dust, concrete or plastic pedestals.
- Strength far superior to stone of even greater thickness.
- Realistic durable alternatives to natural timber and granite.

NEW

JARRAHWASH
Paving or Capping
SIZE 1200 x 200mm
THICKNESS 20mm



SILVERTINO
Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm

DRIFTWOOD
Paving or Capping
SIZE 1200 x 200mm
THICKNESS 20mm

BORDEAUX
Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm

CAPPING
SIZE 600 x 300mm
THICKNESS 20mm

MONACO
Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm

SANTORINI
Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm

WHITE GRANITO
Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm

GREY GRANITO
Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm

Your outdoor space deserves to be different...

Ocean Bluestone... a grey with attitude

PAVER
SURFACE Non-slip
SIZE 600 x 300mm
THICKNESS 25mm

CAPPING
SURFACE Non-slip
SIZE 600 x 300mm
THICKNESS 25mm

- ✔ **Non-slip yet gentle to touch.**
- ✔ **Smooth edge capping.**

From an overcast misty grey, to thunderous deep tones when wet. Ocean Bluestone's swirls of greys, white and golds provide a finish that is truly unique. A contemporary grey option with attitude.

Stone cladding... bringing walls to life

EVEREST
SIZE 600 x 150mm

COPPER
SIZE 600 x 150mm

HAWAIIAN SWIRL
SIZE 600 x 150mm

DESERT
SIZE 600 x 150mm

WHITE QUARTZ
SIZE 600 x 150mm

Pre-cut corners are available for all colours

The beauty of natural stone is it's variation in colour.
Visit our sites to see current tones.

Photos above indicate approx 600mm x 600mm section.

Bluestone... natural steppers

Honed surface
SIZE Various approx. 500 - 700mm
THICKNESS 30mm



more ideas and pricing @ freostone.com.au

Commercial... high-end spec solutions

10 other colours available for commercial quantity projects.



NEW

MULTI SPEC TACTILE PAVER
SIZE 600 x 400mm
THICKNESS
30, 40, 50 or 60mm



Suitable for a range of applications.

Freo Stone Paving Perth

North



GREENWOOD
Display and Stock Centre
29 Canham Way
Greenwood W.A.

South

BIBRA LAKE
Manufacturing Facility, Full Scale
Display and Stock Centre
139 Barrington Street
Bibra Lake W.A.

high tech... high quality

Freo Stone Paving utilises robotic technology to maintain a superior level of quality throughout its manufacturing operations. Combining this with only the highest grade raw materials and an experienced team, had resulted in the brand becoming the designers' popular choice Australia wide.

CUSTOMER SERVICE
08 9418 8404
info@freostone.com.au

Free mobile design and sample units to your Perth metro site or office

for more ideas visit freostone.com.au

WESTERN AUSTRALIAN OWNED

WALGA PREFERRED SUPPLIER

SPASA WESTERN AUSTRALIA
SWIMMING POOL & SPA ASSOCIATION
LANDSCAPING & DESIGN

AUSTRALIAN OWNED

Our pavers comply with Australian and New Zealand Standards AS/NZS 4586:1999 and are manufactured for uniformity of shape, colour and consistency of dimensions, however you may encounter some variation. The colours in this brochure are approximate only. Products shown are correct at the time of printing. September 2024 Freo Stone ABN 30 143 880 422.